

# Touch The Future

Ultrafabrics is a fusion of sustainable innovation, ultimate comfort, and contemporary style. For over 20 years we have combined our artisanal approach with state-of-the-art technology to create materials that not only provide superior performance, but also feel unlike anything you've touched before. Our selection within the Haworth Alliance program can be used across workspace, community, caregiver, and patient room\* applications.

We proudly provide our customers with sophisticated fabrics that offer a high-performing alternative to animal-based products. Responsible manufacturing is part of our DNA, and we instill the principles of craftsmanship to produce the highest quality, healthiest products for a lifetime of use. This includes the development of next generation materials that limit the use of finite resources, improving the sustainability of existing resources, and advancing the use of renewable materials.

Designed to go beyond, our fabrics are inherently stain resistant. They can endure the demanding rigors of repeated cleanings and sanitization – no matter the environment. Unlike lesser-quality constructions, we utilize premium ingredients to ensure our products are able to withstand a range of bleach and alcohol-based cleaners and disinfectants.

\*UF Select Montage not recommended for patient room applications.



# Promessa<sup>®</sup>

Style meets stamina with Promessa, which features a pebbled texture and subtle sheen across a sizable range of neutral and deep tones. Bleach solution cleanable, industry-leading abrasion resistance, and a backcloth engineered with recycled polyester fibers makes Promessa ideal for high-traffic and sustainable specifications.

- No intentionally added PFAS
- SCS Indoor Advantage Gold certification
- Backcloth contains 8.3 recycled plastic bottles per yard

## Composition:

100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing

#### Weight & Thickness:

11.5 oz. per sq. yard / 390 grams per sq. metre Approx. 1.1 mm

# Abrasion:

ASTM D4157 400,000 DR (Wyzenbeek)

## **Hydrolysis:**

16 Weeks ASTM D3690 SECT. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)







PR AL\_N26 Old Lime





PR YJ\_AD5 Shale



PR ZH JHC Battleship

Click here to view full color palette and order memo samples

PR AL\_N29 Aqua Spring PR AL\_N22 Lake Blue

# Ultraleather®

With a natural grain appearance, Ultraleather delivers a quintessentially classic style. Soft and supple to the touch and with proven high-performance benefits, this unrivaled fabric is limitless in utility and application.

- No intentionally added PFAS
- Contains 50% rapidly renewable resources TENCEL™ Modal fibers
- SCS Indoor Advantage Gold certification
- Meets Healthcare Without Harm's Healthy Interiors Criteria V2.3

### Composition:

100% Polycarbonate Polyurethane Surface 100% Reinforced Rayon Backing containing TENCEL™ Modal fibers

## Weight & Thickness:

9.7 oz. per sq. yard / 330 grams per sq. metre Approx. 0.95 mm

#### Abrasion:

ASTM D4157 400.000 DR (Wyzenbeek)

## **Hydrolysis:**

16 Weeks ASTM D3690 SECT. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)





ULO YJ\_AF4 Ermine























Click here to view full color palette and order memo samples

ULO ZH\_FAL Buff

ULO AL\_N47 Citronella ULO YJ\_AJT Riviera





ULO ZH\_1CA Chamois



ULO YJ\_AEH Apricot



ULO ZH\_J39 Rain Dance



ULO ZH\_HLY Silver Pearl ULO YJ\_AAH Papyrus

ULO YJ\_KCA Arctic

ULO AL\_N43 Classic Grey ULO ZH\_LKE Pelican



ULO YJ\_ADT Pecan



ULO AL\_N31 Earthenware ULO AL\_N33 High Seas

ULO YJ ADC Red

# Tottori

Inspired by the windswept landscape of the Tottori Sand Dunes in Japan, Tottori is a modern rendition of a timeless, leather-like grain. With its soft hand, robust texture and matte finish, this collection offers both substance and style.

- No intentionally added PFAS
- SCS Indoor Advantage Gold certification
- Meets Healthcare Without Harm's Healthy Interiors Criteria V2.3

## Composition:

100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing

#### Weight & Thickness:

12.4 oz. per sq. yard / 420 grams per sq. metre Approx. 1.1 mm

#### Abrasion:

ASTM D4157 300,000 DR (Wyzenbeek)

#### **Hydrolysis:**

16 Weeks ASTM D3690 SECT. 6.11 (Hydrolytic Stability) wISO 1419 Method C (Accelerated Ageing)



TO ZH\_D57 Rice Paper







TO ZH\_X7H Sand Castle TO AL\_M93 Origami White TO AL\_N51 Blue Mirage







TO ZH\_N95 Classic Grey TO AL\_M94 Udon

TO ZH\_L5E Dark Spruce







TO AL M98 Soy Sauce

TO AL\_M96 Tatami Mat TO ZH\_C2R Hot Spring







TO AL\_NO1 Black Sesame TO AL\_M97 Ginseng

TO AL\_N50 Shibori Blue

Click here to view full color palette and order memo samples

# Volar Bio

Volar Bio is revolutionary in design and style. Committed to reducing our dependency on finite resources, renewable, plant-based materials are incorporated into the unique construction. With an organic texture that provides a contemporary aesthetic to any setting, Volar Bio is created for the designs of tomorrow without sacrificing on the comfort or durability that is needed for the every day.

- No intentionally added PFAS
- USDA 20% BioPreferred Program Label
- SCS Indoor Advantage Gold certification
- Meets Healthcare Without Harm's Healthy Interiors Criteria V2.3

#### Composition:

Proprietary Polycarbonate + Biobased Surface 65% Polyester, 35% Rayon Backing

#### Weight & Thickness:

12.1 oz. per sq. yard / 410 grams per sq. metre Approx. 1.15 mm

# Abrasion:

ASTM D4157 300,000 DR (Wyzenbeek)

#### **Hydrolysis:**

16 Weeks ASTM D3690 SECT. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)



Click here to view full color palette and order memo samples

# Montage — Uf Select.

Uf Select is a curated range of timeless tones and textures engineered to make inspired designs and quick turnarounds feel effortless. Crafted exclusively with our hand-picked and trusted mill partners, the innovation of Ultrafabrics is now more accessible than ever.

Montage offers a natural and subtly distressed look. Its surface mimics a collage, with a weathered texture that is both soft and rich. Rooted in timely neutrals, Montage's impressive palette includes warm red tones and shades influenced by nature.

- No intentionally added PFAS
- Subtle two-tone colorway
- Suitable for Workspace, Community and Caregiver applications

### Composition:

Polycarbonate Blended Surface 65% Polyester, 35% Cotton Backing

#### Weight & Thickness:

12.53 oz. per sq. yard / 425 grams per sq. metre Approx. 0.95 mm

#### Abrasion:

ASTM D4157 200,000 DR (Wyzenbeek)

### Hydrolysis:

10 Weeks ASTM D3690 SECT. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)

Click here to view full color palette and order memo samples



